



# ENERPOWER

## CARICABATTERIE

CARICABATTERIE PER BATTERIE  
A LIQUIDO - ERMETICHE AGM/GEL - LITIO



# CARICABATTERIE

Per batterie a liquido – Ermetiche AGM/GEL - Litio



## Caratteristiche:

- LED indicator light show charging states;
- Temperature controlled cooling fan;
- 3-stage battery charging: Bulk charge, absorption charge, float charge
- Reverse polarity protection: connect to battery, no harm.  
Not connect to battery, no output.
- Short circuit protection
- Over Temperature Protection
- Battery Type Selector

## CARICABATTERIE UNIVERSALE – Serie UNIVERSAL

Modello	Dati di uscita		Capacità batteria Ah	Peso Netto Kg	Dimensioni mm
	Tensione (V)	Corrente (A)			
EC-M 1210	12	10	70-100	0,75	130 x 150 x 50
EC-M 1220	12	20	140-200	0,85	160 x 150 x 70
EC-M 1230	12	30	140-250	2,1	260 x 150 x 70
EC-M 1240	12	40	200-400	2,2	260 x 150 x 70
EC-M 1280	12	80	400-800	3,9	250 x 220 x 75
EC-M 2410	24	10	70-100	1,3	160 x 150 x 50
EC-M 2420	24	20	140-200	2,2	260 x 150 x 70
EC-M 2440	24	40	200-400	3,64	250 x 220 x 75
EC-M 3625	36	25	140-200	2,26	260 x 150 x 70
EC-M 4805	48	5	30-50	0,85	160 x 150 x 70
EC-M 4810	48	10	70-100	2,2	260 x 150 x 70
EC-M 4815	48	15	100-150	2,27	306 x 150 x 70
EC-M 4820	48	20	200-250	2,27	250 x 220 x 75



## CARICABATTERIE – Serie LC

Modello	Dati di uscita		Capacità batteria Ah	Peso Netto Kg	Dimensioni mm
	Tensione (V)	Corrente (A)			
LC 12-3A	12	3	20-30	0,43	137 x 72 x 42
LC 12-6A	12	6	35-60	0,60	158 x 90 x 52
LC 12-12A	12	12	70-120	1,50	208 x 130 x 82
LC 24-3A	24	3	20-30	0,61	158 x 90 x 52
LC 24-12A	24	12	70-120	1,50	208 x 130 x 82

# CARICABATTERIE

Per batterie a liquido – Ermetiche AGM/GEL - Litio



## CARICABATTERIE – Serie QQE

Modello	Dati di uscita		Capacità batteria Ah	Peso Netto Kg	Dimensioni mm
	Tensione (V)	Corrente (A)			
QQE 24-3A	24	3		0,55	167 x 65 x 41
QQE 24-15A	24	15	85-150	2,00	150 x 150 x 87
QQE 24-25A	24	25	140-250	4,5	270 x 150 x 87
QQE 24-30A	24	30	165-300	4,5	270 x 150 x 87
QQE 48-15A	48	15	100-150	3,1	254 x 172 x 76
QQE 48-25A	48	25	150-250	4,8	350 x 158 x 118
QQE 72-20A	72	20	140-200	4,8	270 x 150 x 87



## CARICABATTERIE – Serie EC

Modello	Dati di uscita		Capacità batteria Ah	Peso Netto Kg	Dimensioni mm
	Tensione (V)	Corrente (A)			
EC 12-25A	12	25	140-250	2,70	290 x 205 x 82
EC 12-50A	12	50	275-500	7,60	370 x 240 x 90
EC 24-12A	24	12	70-120	2,80	277 x 118 x 71
EC 24-15A	24	15	60-150	3,00	290 x 205 x 82
EC 24-25A	24	25	100-240	7,60	370 x 240 x 90



**ENERPOWER s.r.l.**

Via Boccioni, 7 – 20090 MONZA (MB) – ITALY  
Tel. +39 039.833172 / 832152 Fax. +39 039.2230441  
e-mail: info@enerpowersrl.com - www.enerpowersrl.com







# ENERPOWER



**ENERPOWER s.r.l.**

Via Boccioni, 7 – 20090 MONZA (MB) – ITALY

Tel. ++39 039.833172 / 832152

Fax. ++39 039.2230441

e-mail: [info@enerpowersrl.com](mailto:info@enerpowersrl.com)

[www.enerpowersrl.com](http://www.enerpowersrl.com)



2001 - 2021